

South Huntington Water District

2015 Drinking Water Quality Report

Board of Commissioners

Paul Tonna, Chairman
Ciro DePalo, Treasurer
Dominick Feeney, Secretary

Public Water Supply Identification No.: 5103263

ANNUAL WATER SUPPLY/CONSUMER CONFIDENCE REPORT

January 2016

The South Huntington Water District is pleased to present to you this year's Water Quality Report. **The Board of Commissioners is happy to report that our water meets or exceeds all Federal, State and County drinking water standards.** This report is required to be delivered to all residents of our District in compliance with Federal and State regulations. Our constant goal is to provide you with a safe and dependable supply of drinking water every day. We also want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. The Board of Water Commissioners and the District employees are committed to ensuring that you and your family receive the highest quality water at the lowest possible cost.


SOURCE OF OUR WATER

The source of water for the District is groundwater pumped from 23 wells located throughout the community that are drilled into the Glacial and Magothy aquifers beneath Long Island, as shown on the adjacent figure. Generally, the water quality of the aquifer is good to excellent, although there are localized areas of contamination.

The population served by the South Huntington Water District during 2015 was 81,760. The total amount of water withdrawn from the aquifer in 2015 was 3.948 billion gallons, of which approximately 90 percent was billed directly to consumers.

Throughout the United States the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells.

As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants.



COST OF WATER

The District bills each customer based on the rates shown below:

0 - 50,000 gallons	\$0.70 per 1,000 gallons
51,000 - 100,000 gallons	\$1.21 per 1,000 gallons
Over 100,000 gallons	\$1.51 per 1,000 gallons

The minimum bill is \$8.00 per quarter

We are proud to state that these are still some of the lowest water quarterly rates on Long Island!

CONTACTS FOR ADDITIONAL INFORMATION

We are pleased to report that our drinking water is safe and meets all Federal and State requirements. If you have any questions about this report or concerning your water utility, please contact Chief Plant Operator Ken Carsten at (631) 427-8190 or the Suffolk County Department of Health Services at (631) 852-5810. We want our valued customers to be informed about our water system. If you want to learn more, please attend any of our regularly scheduled meetings. They are normally held every Tuesday at 8:30 a.m. at the Water District office.

The South Huntington Water District routinely monitors for different parameters and contaminants in your drinking water as required by Federal and State laws. All sources of drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents or contaminants. It's important to remember that the presence of these constituents does not necessarily pose a health risk. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health. For more information on contamination and potential health risks, please contact the USEPA Safe Drinking Water Hotline at 1-800-426-4791.

Water from the South Huntington Water District has elevated levels of nitrates, but well below the maximum contaminant level of 10.0 parts per million. Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. The source of the nitrates is the nitrogen in fertilizers and from on-site septic systems. If you are caring for an infant, you should ask advice from your health care provider.

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These

people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

WATER CONSERVATION MEASURES

The underground water system of Long Island has more than enough water for present water demands. However, saving water will ensure that our future generations will always have a safe and abundant water supply.

In 2015, the South Huntington Water District continued to implement a water conservation program in order to minimize any unnecessary water use. The pumpage for 2015 was 6.4 percent more than 2014. This increase can most likely be attributable to the hotter and drier weather that occurred during the spring and fall of 2015 compared to 2014.

Residents of the District can also implement their own water conservation measures such as utilizing odd-even lawn sprinkling schedule, retrofitting plumbing fixtures with flow restrictors, modifying automatic lawn sprinklers to include rain sensors, repairing leaks in the home, installing water conservation fixtures/appliances and maintaining a daily awareness of water conservation in their personal habits. Besides protecting our precious underground water supply, water conservation will produce a cost savings to the consumer in terms of both water and energy bills (hot water).

WATER TREATMENT

The South Huntington Water District provides treatment at all wells to improve the quality of the water pumped prior to distribution to the consumer. The pH of the pumped water is adjusted upward to reduce corrosive action between the water and water mains and in-house plumbing by the addition of small amounts of sodium hydroxide.

The District also adds small amounts of calcium hypochlorite (chlorine) as a disinfection agent and to prevent the growth of bacteria in the distribution system.

Air stripping facilities are located at Well Nos. 1, 2, 5-1, 5-2, 10-1 and 10-2 for the removal of volatile organic chemicals. Granular activated carbon filters are installed at

**SOUTH HUNTINGTON WATER DISTRICT
2015 WATER QUALITY REPORT
TABLE OF DETECTED PARAMETERS**

Parameters or Contaminants	Violation (Yes/No)	Date of Sample	Level Detected (Range)	Unit Measurement	MCLG	Regulatory Limit (MCL or AL)	Likely Source of Contaminant
Inorganic Contaminants							
Lead ^{(1)&(2)}	No	July-Sept. 2015	ND - 1.4 ⁽¹⁾	ug/l	0	AL = 15	Corrosion of household plumbing; erosion of natural deposits
Copper ⁽¹⁾	No	July-Sept. 2015	ND - 0.19 ⁽¹⁾	mg/l	1.3	AL = 1.3	Corrosion of household plumbing; erosion of natural deposits
Barium	No	05/14/15	ND - 0.023	mg/l	2	MCL = 2.0	Naturally occurring
Sulfate	No	04/08/15	ND - 13.0	mg/l	n/a	MCL = 250	Naturally occurring
Nickel	No	05/06/15	ND - 4	ug/l	n/a	MCL = 100	Naturally occurring
Sodium	No	04/08/15	2.6 - 33.0	mg/l	n/a	No MCL ⁽³⁾	Naturally occurring
Zinc	No	05/08/15	ND - 0.033	mg/l	n/a	MCL = 5	Naturally occurring
Chloride	No	04/08/15	2.8 - 69.1	mg/l	n/a	MCL = 250	Naturally occurring
Iron	No	06/01/15	ND - 170	ug/l	n/a	MCL = 300	Naturally occurring
Nitrate	No	10/23/15	ND - 8.8	mg/l	10	MCL = 10	Runoff from fertilizer and leaching from septic tanks and sewage
Perchlorate ⁽⁴⁾	No	02/23/15	ND - 3.8	ug/l	n/a	AL = 18 ⁽⁴⁾	Fertilizer
Bacteriological							
Total Coliform	No	03/02/15	1 positive out of 1,204	n/a	0	MCL = More than 5% per month	Naturally occurring in the environment
Radiological							
Gross Alpha	No	10/05/10	ND - 0.06	pci/L	0	MCL = 15	Erosion of natural deposits
Radium 226 and 228	No	10/05/10	ND - 1.2	pci/L	0	MCL = 5	Erosion of natural deposits
Volatile Organic Contaminants							
Trichloroethene	No	10/19/15	ND - 0.7	ug/l	0	MCL = 5	Industrial chemical discharge
1,1-Dichloroethane	No	10/23/15	ND - 3.1	ug/l	n/a	MCL = 5	Industrial chemical discharge
1,1,1-Trichloroethane	No	07/30/15	ND - 1.7	ug/l	n/a	MCL = 5	Industrial chemical discharge
1,2-Dichloropropane	No	10/08/15	ND - 2.5	ug/l	0	MCL = 5	Industrial chemical discharge
1,1-Dichloroethene	No	10/19/15	ND - 0.9	ug/l	n/a	MCL = 5	Industrial chemical discharge
Trichlorofluoromethane	No	10/08/15	ND - 0.7	ug/l	n/a	MCL = 5	Industrial chemical discharge
Total Trihalomethanes	No	04/10/15	ND - 22.3	ug/l	n/a	MCL = 80	Disinfection by-product
Unregulated Contaminant Monitoring Rule⁽⁵⁾							
1,4-Dioxane	No	07/27/15	ND - 0.9	ug/l	n/a	No MCL	Industrial chemical discharge
Chromium	No	10/21/15	0.1 - 0.8	ug/l	100	MCL = 100	Natural deposits
Cobalt	No	07/27/15	ND - 62.6	ug/l	n/a	No MCL	Naturally occurring
Strontium	No	10/21/15	3.8 - 57.9	ug/l	n/a	No MCL	Naturally occurring
Hexavalent Chromium	No	10/21/15	ND - 0.8	ug/l	n/a	No MCL	Natural deposits
Chlorate	No	10/21/15	21 - 54	ug/l	n/a	No MCL	Naturally occurring

Definitions:

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level (AL) - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Milligrams per liter (mg/l) - Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l) - Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Non-Detects (ND) - Laboratory analysis indicates that the constituent is not present.

⁽¹⁾ - The District sampled for lead and copper under the guidelines of the USEPA requirements in 2015. Results indicated are from this special sampling program. The maximum result represents the 90th percentile. Of the 30 samples collected, none of the samples exceeded the action level for lead or copper. The District will resample in 2018.

⁽²⁾ - Elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. South Huntington Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

⁽³⁾ - No MCL has been established for sodium. However, 20 mg/l is a recommended guideline for people on high restricted sodium diets and 270 mg/l for those on moderate sodium diets.

⁽⁴⁾ - Perchlorate is an unregulated contaminant. However, the State Health Dept. has established an action level of 18 ug/l.

⁽⁵⁾ - UCMR3 - Unregulated Contaminant Monitoring Rule 3 is a Federal water quality sampling program where water suppliers sample and test their source water for 1 year. Results will be used by the USEPA to determine if the contaminants need to be regulated in the future.

Well Nos. 3-2/3-3, 4, 6, 8, 15-1/15-2 and 20 for the removal of volatile organic chemicals. The District recently completed the construction of a GAC treatment and major building improvements at Well Nos. 7-1 and 7-2 located on Walt Whitman Road in Melville. The District recently started the construction of an air stripping facility at Plant No. 9 located on Gwynne Road in Melville.

WATER QUALITY

In accordance with State regulations, the South Huntington Water District routinely monitors your drinking water for numerous parameters. We test your drinking water for coliform bacteria, turbidity, inorganic compounds, lead and copper, nitrate, nitrite, volatile organic contaminants, total trihalomethanes, haloacetic acids, radiological and synthetic organic contaminants. Over 135 separate parameters are tested for in each of our wells numerous times per year. The Water District conducts more testing than required by the State Health Department to ensure your water is safe to drink. The enclosed table depicts which parameters or contaminants were detected in your drinking water. It should be noted that many of these parameters are naturally found in all Long Island drinking water and do not pose any adverse health affects. All of our water meets the drinking water standards after treatment. In addition to the table of detected parameters, the District tested for over 100 contaminants that were not detected in our water, including pesticides, herbicides, organic chemicals and radioactive contaminants.

SOURCE WATER ASSESSMENT

The NYSDOH has completed a source water assessment for this system, based on available information. Possible and actual threats to this drinking water source were evaluated. The State Source Water Assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how easily contaminants can move through the subsurface to the wells. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. See section "Water Quality" for a list of the contaminants that have been detected. The source water assessments provide resource managers with additional

information for protecting source waters into the future.

As mentioned before, our water is derived from 23 drilled wells. The source water assessment has rated most of the wells as having a high susceptibility to industrial solvents and nitrates. The susceptibility to nitrates is due primarily to point sources of permitted discharge facilities (industrial/commercial facilities that discharge wastewater into the environment and are regulated by the State and/or Federal government), agricultural practices and activities associated to high density land use, such as fertilizing lawns. The susceptibility to industrial solvents is primarily due to point sources of contamination related to industrialized activities in the assessment area.

A copy of the assessment, including a map of the assessment area, can be obtained by contacting the Water District.

WATER SYSTEM IMPROVEMENT

With the increase in water demand throughout the District along with the additional development of new homes and businesses, the Board of Commissioners has approved a Capital Improvement Program that provides for the construction of new water supply facilities. Construction is underway for the implementation of new wellhead treatment facilities at Plant No. 9. The District will continue with this Capital Improvement Program of constructing new facilities and rehabilitating the older facilities and equipment to ensure that the District will be able to provide a reliable and safe water supply to our consumers.

The District also is in the design phase of rehabilitating and repainting the 1.5 million gallon water storage tank located on Apex Road in Melville.

A copy of this report can also be found on the web at www.shwd.org. Copies of a Supplemental Data Package, which includes the water quality data for each of our supply wells utilized during 2015, are available at the South Huntington Water District office located at 75 5th Avenue South, Huntington Station, New York and the local public library.

We at South Huntington Water District work around the clock to provide the highest quality water to every tap throughout the community. We ask that all our consumers help us protect our water resources, which are the heart of our community, our way of life and our children's future.



SOUTH HUNTINGTON WATER DISTRICT
2015 DRINKING WATER QUALITY REPORT